

SAFES AND GUN SAFES



Engineered for Security
Designed for Protection
One Brand, Ultimate Protection

HOME AND COMMERCIAL



Model number	GD-17E-Y
Product size	H170*W230*D170 mm
Packing size	H220*W270*D220 mm
N.W.	2 kg
Color	Black, White, Pink
Battery configuration	4 pieces of AA batteries
Fix holes	2 holes backside



GD-17E-F

GD-17E-Y

Model number	GD-17-DF
Product size	H170*W230*D170 mm
Packing size	H220*W270*D220 mm
N.W.	1.6 kg
Color	Black, White, Pink
Battery configuration	No need battery
Fix holes	2 holes backside



GD-17E-DF

GD-17E-XF

GD-17E-XY



Model number	GD-17E-T
Product size	H170*W230*D170 mm
Packing size	H220*W270*D220 mm
N.W.	2 kg
Color	Black, White, Blue, Green, etc.
Battery configuration	4 pieces of AA batteries
Fix holes	2 holes backside



GD-17E-T

GD-17E-C



GD-20Z-D



GD-20Z-Z

Model	Size	Weight
GD-20Z-D	H200*W300*D200mm	3.8 kg
GD-20Z-Z	H200*W300*D200mm	3.8 kg



GD-20D-D



GD-20D-Z

Model	Size	Weight
GD-20D-D	H200*W310*D200mm	5 kg
GD-20D-Z	H200*W310*D200mm	5 kg



GD-X6-25D



GD-X6-25Z

Model	Size	Weight
GD-X6-25D	H250*W350*D260mm	9 kg
GD-X6-25Z	H250*W350*D260mm	9 kg



GD-MG-35D



GD-MG-35Z

Model	Size	Weight
GD-MG-35D	H360*W400*D300mm	12 kg
GD-MG-35Z	H360*W400*D300mm	12 kg



GD-KD-25

GD-KD-35

GD-KD-45

Model	Size	Weight
GD-KD-25	H250*W350*D250mm	8 kg
GD-KD-35	H360*W400*D300mm	11.5 kg
GD-KD-45	H450*W380*D320mm	15 kg



GD-M-25

GD-M-40

GD-M-50

Model	Size	Weight
GD-M-25	H250*W350*D260mm	6.8 kg
GD-M-40	H400*W360*D300mm	12.4 kg
GD-M-50	H500*W360*D325mm	15 kg



GD-X5S-45D



GD-X5S-45Z

Model	Size	Weight
GD-X5S-45D	H450*W380*D320mm	15 kg
GD-X5S-45Z	H450*W380*D320mm	15 kg



GD-20E-P



GD-20E-D



GD-25E-P

Model	Size	Weight
GD-20E-P	H200*W310*D200mm	3.25 kg
GD-20E-D	H200*W310*D200mm	3.25 kg
GD-25E-P	H250*W350*D250mm	4.7 kg

Features

- Guest programmable 6 or 8 digit PIN code via automatic code reset feature when door is opened
- Back-up key and manager master code in case of lock out (supplied with 2 keys)
- Solid steel 20mm motorised locking bolts for extra security
- Wide enough to accommodate most 15" laptop computers
- Motorised locking bolts open the door
- Automatically after entering the correct PIN code

SEMICONDUCTOR
FINGERPRINT RECOGNITION

The new generation of semiconductor biometric fingerprint recognition features precise identification and millisecond response

Model	Size	Weight
SG-45-D	H450*W380*D320mm	15 kg
SG-45-Z	H450*W380*D320mm	15 kg



Model	Size	Weight
OT-45-D	H450*W380*D300mm	15 kg
OT-45-Z	H450*W380*D300mm	15 kg



Model	Size	Weight
SG-25-D	H250*W350*D260mm	9 kg
SG-25-Z	H250*W350*D260mm	9 kg

FINGERPRINT LOCK



TX-60

TX SERIES

Model	Size	Weight
TX-45-D	H430*W370*D230mm	15 kg
TX-45-Z	H430*W370*D230mm	15 kg
TX-60-D	H520*W380*D280mm	26 kg
TX-60-Z	H520*W380*D280mm	26 kg

ELECTRONIC LOCK



TX-45

HOME AND COMMERCIAL

SAFE SERIES

Features

- Guest programmable 6 or 8 digit PIN code via automatic code reset feature when door is opened
- Back-up key and manager master code in case of lock out(supplied with 2 keys)
- Solid steel 20mm motorised locking bolts for extra security
- Wide enough to accommodate most 15" laptop computers
- Motorised locking bolts open the door
- Automatically after entering the correct PIN code



Electronic Lock



A6-Z-20



Fingerprint Lock



A6-D-25



A6-Z-30



A6-D-70



A6-D-45

Model	Size	Weight
A6-25#	H250*W350*D250mm	6.6 kg
A6-30#	H300*W360*D300mm	8.2 kg
A6-36#	H360*W400*D300mm	10.6 kg
A6-40#	H400*W360*D300mm	10.8 kg
A6-45#	H450*W380*D320mm	13.6 kg
A6-60#	H600*W380*D330mm	19.2 kg
A6-70#	H700*W400*D360mm	23.8 kg



F6 SERIES

Model	Size	Weight
F6-45#	H450*W380*D300mm	13.4 kg
F6-60#	H600*W380*D330mm	20.6 kg
F6-70#	H700*W400*D360mm	23.8 kg



Y3 SERIES

Model	Size	Weight
Y3-45#	H450*W380*D320mm	18.6 kg
Y3-60#	H600*W400*D340mm	23.4 kg

FINGERPRINT LOCK

A3 SERIES

ELECTRONIC LOCK



Model	Size	Weight
A3-80#	H800*W450*D400mm	37.8 kg
A3-100#	H1000*W510*D450mm	51.2 kg
A3-120#	H1200*W550*D480mm	64.2 kg
A3-150#	H1500*W600*D510mm	79 kg
A3-180#	H1800*W700*D600mm	130 kg




SECURITY SERIES PRODUCTS



GD-GC-001/002
Gun safe

PARAMETERS


Product Size	H1450*W350*D300 mm
Packing Size	H1525*W425*D385 mm
Door Thickness	2.0 mm
Body Thickness	1.2 mm
N.W. / G.W.	33.5 kg / 38.5 kg
Opening Mode	001:Password 002:Password+fingerprint



Pistol Hanging Bag



Thick Deadbolt



Smart Door Lock

PARAMETERS

Product Size	H1320*W250*D220 mm
Packing Size	H1400*W320*D320 mm
Door Thickness	2.0 mm
Body Thickness	1.2 mm
N.W. / G.W.	18.1 kg / 22.2 kg
Opening Mode	Password + fingerprint



GD-GC-003
Gun Safe



GD-GC-004
Disassemble Gun Safe

PARAMETERS

Product size	H1400*W505*D380 mm
Packing size	H1510*W570*D175 mm
N.W. / G.W.	26 kg / 30.75 kg
Capacity	10-15 Rifles

Please scan the QR code
to watch assembly video



GD-GC-005
Gun Safe
Size: W300*D90*H256 mm
CBM: 0.015 m³



GD-GC-006
Gun Safe
Size: W360*D275*H90 mm
CBM: 0.019 m³



GD-GC-007
Gun Safe
Size: W345*D255*H80 mm
CBM: 0.018 m³

FIREPROOF SAFE SERIES



(Electronic combination lock)

Professional Fireproof Certification – Withstands Extreme Heat
 Multi-Layer Fireproof Structure – Advanced Protection Technology
 Dual Fireproof & Burglary-Proof Certification – Twofold Security
 Spacious & User-Friendly Design
 Long-Term Durability & Professional After-Sales Support



(Double mechanical lock)



GD-K3-1020
 H1020*W600*D580mm
 G.W.: 170 kg



GD-K3-62
 H620*W500*D500mm
 G.W.: 96 kg



GD-K3-40
 H420*W450*D400mm
 G.W.: 59 kg



GD-K3-30S
 H320*W450*D40mm
 G.W.: 50 kg



GD-K3-72S
 H720*W500*D500mm
 G.W.: 106 kg



GD-K3-1020S
 H1020*W600*D580mm
 G.W.: 170 kg



- ★ Constructed from High-Strength Alloy Material
 - ★ Equipped with Multiple Locking Mechanisms
 - ★ Features a Robust Box Structure
 - ★ Incorporates Heavy-Duty Hinges
 - ★ Designed with a Practical Interior
- (Electronic combination lock)**



GD-K1-310
H310*W390*D310mm
G.W.: 32 kg

GD-K1-450
H450*W400*D330mm
G.W.: 46 kg

GD-K1-620
H620*W410*D335mm
G.W.: 54 kg

GD-K1-820
H820*W490*D430mm
G.W.: 90 kg

GD-K1-820S
H820*W490*D430mm
G.W.: 90 kg

GD-K1-1080
H1080*W550*D490mm
G.W.: 136 kg

- ★ Provides Excellent Sealing Performance
- ★ Finished with a Corrosion-Resistant Surface
- ★ Features Anti-Magnetic and Anti-Static Properties
- ★ Includes Mounting Capabilities
- ★ Integrates a Smart Alarm System



(Fingerprint combination lock)



GD-K2-1100ZW
H1080*W550*D490mm
G.W.: 136 kg

GD-K2-820S ZW
H820*W490*D430mm
G.W.: 90 kg

GD-K2-820ZW
H820*W490*D430mm
G.W.: 90 kg

GD-K2-620ZW
H620*W430*D350mm
G.W.: 54 kg

GD-K2-450ZW
H450*W390*D350mm
G.W.: 46 kg

GD-K2-310ZW
H310*W390*D310mm
G.W.: 32 kg

HOTEL SAFE DEPOSIT BOX

(Side Open Safe)



GD-2042A

Relevant parameters

Product size	W420*H200*D370 mm
Packing size	W455*H250*D405 mm
Door thickness	4 mm
Body thickness	1.5 mm
N.W.(G.W.)	8.5 kg (9 kg)
Color	Black, Ivory, Customize
Battery configuration	4 pieces of AA batteries
Fix holes	4 holes at the bottom, 2 holes backside
Optional function	Query function, Inside lighting, Inside socket

- * Steel structure, strong durable, body thickness is 2 mm, door thickness is 5 mm.
- * Adopt imported high stability of the microcomputer chip, all box using the international environmental requirements of high-quality lead-free plastic powder.
- * Use international standard digital buttons, 3- digits code setting, 3 times wrong code, the box will lock 5 minutes.
- * Big size LED display including: cell capacity high and low reminder, state of programming and opening or closing box records
- * Two sets passwords: manager password and customer password, manager password used for hotel managers.
- * Equipped with emergency keys to open and close safe box, when forget the password can use the emergency key to open the door.
- * Can choose to configure special computer decoder(CEU) and management soft, it can read the record of opening and closing the safe box also can print 100 records.



GD-2042G



GD-2042H



GD-2042E



GD-2042V

HOTEL SAFE DEPOSIT BOX

(Top Open Safe)



GD-1541N

Relevant parameters

Product size	W410*H150*D350 mm
Packing size	W445*H200*D385 mm
Door thickness	4 mm
Body thickness	1.5 mm
N.W.(G.W.)	10 kg (11 kg)
Color	Black, Ivory, Customize
Battery configuration	4 pieces of AA batteries
Fix holes	4 holes at the bottom, 2 holes backside
Optional function	Query function, Inside lighting, Inside socket

- * Steel structure, strong durable, body thickness is 2 mm, door thickness is 5 mm.
- * Adopt imported high stability of the microcomputer chip, all box using the international environmental requirements of high-quality lead-free plastic powder.
- * Use international standard digital buttons, 3- digits code setting, 3 times wrong code, the box will lock 5 minutes.
- * Big size LED display including: cell capacity high and low reminder, state of programming and opening or closing box records
- * Two sets passwords: manager password and customer password, manager password used for hotel managers.
- * Equipped with emergency keys to open and close safe box, when forget the password can use the emergency key to open the door.
- * Can choose to configure special computer decoder(CEU) and management soft, it can read the record of opening and closing the safe box also can print 100 records.



GD-1541B



GD-1541BG



GD-2042MJ



GD-2042BJ

SECURE YOUR GOOD LIFE

sales@greatfurniture.cn

www.onstarsafes.com

www.greatlocker.com

www.greatfurniture.cn

LuoYang City, HeNanProvince, China.